


SCIO-9^D

TWO
Second Size
CARDIGANS
by P&B



P&B
WOOLS

V Neck and All-over Pattern

the design on the back cover takes only 2 ounces

MATERIALS

2 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 12 and two No. 10 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Six buttons.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS

To fit 20-21 chest. Length from

shoulder to lower edge, 10 ins.
 Sleeve seam, 6½ ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION

7½ sts. and 9½ rows to one square inch on No. 10 needles, measured over stocking stitch.

See below for how to check your Tension, and Abbreviations.

Please read this first


ABBREVIATIONS

K.=knit; P.=purl; st.=stitch; sl.=slip; w.r.n.=wool round needle; tog.=together; t.b.l.=through back of loops; inc.=increase by working into front and back of stitch; dec.=decrease by working 2 sts. together; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern; incl.=inclusive; ins.=inches. Cr.1L.=Cross 1 Left as follows:—Take right-hand needle to back of work and knit into back of 3rd stitch; work the 2nd stitch in the same manner, now knit into front of first stitch then slip all 3 sts. off left-hand needle together; Cr.1R.=Cross 1 Right as follows:—Insert point of right-hand needle knitwise into front of 3rd stitch, knit this stitch in the ordinary way but do not slip stitch off needle; knit the first stitch then the 2nd stitch in the ordinary way, then slip 3rd stitch off left-hand needle.

HOW TO CHECK YOUR TENSION

Before you knit these designs check your tension carefully. Take a pair of No. 10 needles and some Patons Beehive Baby Wool, Patonised. Cast on 15 sts. and work in stocking stitch—1 row knit; 1 row purl—for 19 rows. Cast off; press lightly on wrong side. The tension should be 7½ stitches and 9½ rows to one square inch and the knitted square should measure 2 inches each way. If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size coarser needle.

If you knit to the correct tension in stocking stitch, you will knit naturally to the correct tension for any stitch in this book. If you alter the needles to obtain the correct tension in stocking stitch, corresponding alterations must be made to the needles throughout.



RIGHT FRONT

Using No. 12 needles, cast on 37 sts.

1st row—K.1, * K.1, P.1, rep. from * to last 2 sts., K.2.

2nd row—K.1, * P.1, K.1, rep. from * to end.

Work 1st and 2nd rows 7 times more.

Change to No. 10 needles and proceed as follows:—

1st row—K.

2nd row—K.1, P. to last st., K.1.

3rd and 4th rows—As 1st and 2nd.

5th row—As 1st row.

6th and 7th rows—P.1, * K.2, P.1, rep. from * to end.

8th row—K.1, * P.2, K.1, rep. from * to end.

These 8 rows form the patt.

Continue in patt. until work measures $5\frac{3}{4}$ ins. from beg., finishing so that right side of work will be facing when working next row.

Keeping patt. correct, **shape armhole** and **commence Front slope** as follows:

1st row—K.2 tog., work to end.

2nd row—Cast off 3 sts., work to end.

3rd row—Work to last 2 sts., K.2 tog.

4th and 5th rows—As 3rd row.

6th row—Work all across.

7th row—K.2 tog., work to last 2 sts., K.2 tog. (28 sts.).

**** Continue in patt., dec. 1 st. at front edge on every 3rd row from previous dec. until 26 sts. remain, every 4th row until 20 sts. remain.**

Continue on these sts. until work measures $4\frac{1}{4}$ ins. from beg. of armhole shaping, finishing at armhole edge.

Shape shoulder by casting off 10 sts. at beg. of next and following alt. row.

LEFT FRONT

Using No. 12 needles, cast on 37 sts. Work 16 rows in K.1, P.1 rib as on Right Front.

Change to No. 10 needles and proceed in patt. as on Right Front until work measures same as Right Front up to commencement of front slope.

Shape armhole and commence front slope as follows:—

1st row—Cast off 3 sts., work to last 2 sts., K.2 tog.

2nd row—Work all across.

3rd, 4th and 5th rows—K.2 tog., work to end.

6th row—As 2nd row.

7th row—K.2 tog., work to last 2 sts., K.2 tog. (28 sts.).

Complete as Right Front working from ** to end.

BACK

Using No. 12 needles, cast on 76 sts. Work 16 rows in K.1, P.1 rib.

Change to No. 10 needles and proceed in patt. as on Right Front until work measures same as Fronts up to armhole shaping, finishing so that right side of work will be facing when working next row.

Keeping patt. correct, shape armholes by casting off 3 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 64 sts. remain. Continue on these sts. until work measures same as Fronts up to shoulder shaping.

Shape shoulders by casting off 10 sts. at beg. of next 4 rows. Cast off.

SLEEVES

Using No. 12 needles, cast on 38 sts. Work 15 rows in K.1, P.1 rib.

Next row—Rib 1, (inc. in next st., rib 4) 7 times, inc. in next st., rib 1 (46 sts.).

Change to No. 10 needles and proceed in patt. as on Right Front, inc. 1 st. at both ends of 11th and every following 12th row until there are 52 sts.

Continue on these sts. until work measures $6\frac{1}{2}$ ins. from beg.

Keeping patt. correct, shape top by casting off 3 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 30 sts. remain, every row until 14 sts. remain. Cast off.

FRONT BAND

Using No. 12 needles, cast on 7 sts.

1st row—K.2, (P.1, K.1) twice, K.1.

2nd row—(K.1, P.1) 3 times, K.1.

3rd row—K.2, P.1, w.r.n., P.2 tog., K.2.

4th row—As 2nd row.

Continue in rib working a buttonhole as before on every following 12th row from previous buttonhole until 6 buttonholes in all have been worked. Continue without further buttonholes until work measures 23 ins. (not stretched) from beg.

Cast off in rib.

TO MAKE UP

Omitting ribbing, with wrong side of work facing block each piece by pinning out round edges. Omitting ribbing, press each piece using a warm iron and damp cloth. Using a back-stitch seam join shoulders. Using a flat seam join side and sleeve seams and stitch Sleeves into position, stitch on Front Band. Attach buttons. Press all seams.


Round Yoke and Button-through

the cardigan on the front cover has a touch of difference

MATERIALS

2 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 12 and two No. 11 BEEHIVE or QUEEN

BEE needles, measured by BEEHIVE gauge. Eight buttons. *You must use the P & B brand recommended above to be sure of a successful result.*



MEASUREMENTS

To fit 20-21 inch chest. Length at centre back, $10\frac{1}{2}$ ins. (excluding Neckband). Sleeve seam, $5\frac{3}{4}$ ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION

8 sts. and 10 rows to one square inch on No. 11 needles, measured over stocking stitch. *See page 2 for how to check your Tension, and Abbreviations.*

BACK

Using No. 12 needles, cast on 83 sts.

1st row—* K.1, P.1, rep. from * to last st., K.1.

2nd row—* P.1, K.1, rep. from * to last st., P.1.

Rep. these 2 rows 7 times.

Change to No. 11 needles and proceed as follows:—

Next row—K.

Next row—K.1, P. to last st., K.1.

Continue in stocking stitch as on last 2 rows until work measures $5\frac{1}{2}$ ins. from beg., finishing at end of a P. row.

Shape raglan as follows:—

**** 1st row**—Cast off 2 sts., K. to end.

2nd row—Cast off 2 sts., P. to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1.

4th row—K.1, P. to last st., K.1.

Rep. 3rd and 4th rows 7 times ** (63 sts.).

Slip these sts. on to a length of wool and leave.

SLEEVES

Using No. 12 needles, cast on 40 sts. Work 15 rows in K.1, P.1 rib.

Next row—Rib 4, (inc. in next st., rib 4) 6 times, inc. in next st., rib to end (47 sts.).

Change to No. 11 needles and proceed in stocking stitch, inc. 1 st. at both ends of every 5th row until there are 61 sts.

Continue on these sts. until work measures $5\frac{3}{4}$ ins. from beg., finishing at end of a P. row.

Shape raglan as for Back working from ** to ** (41 sts.).

Slip these sts. on to a length of wool and leave.

LEFT FRONT

Using No. 12 needles, cast on 42 sts. Work 16 rows in K.1, P.1 rib.

Change to No. 11 needles and proceed in stocking stitch, until work measures same as Back up to raglan shapings, finishing at end of a P. row.

Shape raglan as follows:—

1st row—Cast off 2 sts., K. to end.

2nd row—K.1, P. to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., K. to end.

Rep. 2nd and 3rd rows 7 times, then 2nd row once (32 sts.).

Slip these sts. on to a length of wool and leave.

RIGHT FRONT

Work to match Left Front up to raglan shaping, finishing at end of a K. row.

Shape raglan as follows:—

1st row—Cast off 2 sts., P. to last st., K.1.

2nd row—K. to last 3 sts., K.2 tog., K.1.

3rd row—K.1, P. to last st., K.1.

Rep. 2nd and 3rd rows 7 times (32 sts.).

Next row—K. to end.

YOKE

Slip sts. left on lengths of wool on to left-hand needle in the following order:—First Left Front, then a Sleeve, Back, and finally second Sleeve, with right side of work facing, using needle holding sts. of Right Front, knit across these sts. (209 sts.).

Commence patt. as follows:—

1st and 2nd rows—K.

3rd row—K.1, P. to last st., K.1.

4th and 5th rows—As 2nd and 3rd.

6th row—K.1, * sl.1 knitwise, K.2, rep. from * to last st., K.1.

7th row—K.1, * P.2, sl.1 purlwise, rep. from * to last st., K.1.

8th row—K.1, * Cr.1L., rep. from * to last st., K.1.

9th row—As 3rd row.

10th row—K.1, * K.2, sl.1 knitwise, rep. from * to last st., K.1.

11th row—K.1, * bring wool to front, sl.1 purlwise, P.2, rep. from * to last st., K.1.

12th row—K.1, * Cr.1R., rep. from * to last st., K.1.

13th row—As 3rd row.

14th row—K.3, * K.2 tog., K.2, rep. from * to last 2 sts., K.2 (158 sts.).

15th to 27th rows—As 1st to 13th.

28th row—K.3, * K.2 tog., K.1, rep. from * to last 2 sts., K.2 (107 sts.).

29th to 41st rows—As 1st to 13th.

42nd row—K.1, * K.2 tog., rep. from * to last 2 sts., K.2 (55 sts.).

43rd row—K.

Break off wool and leave sts. on needle.

RIGHT FRONT BAND

Using No. 12 needles, cast on 7 sts.

1st row—K.2, (P.1, K.1) twice, K.1.

2nd row—(K.1, P.1) 3 times, K.1.

3rd row—Rib 3, cast off 1, rib to end.

4th row—Rib 3, cast on 1, rib to end.

Continue in rib, working a buttonhole as on 3rd and 4th rows on following 17th and 18th rows from previous buttonhole until 7 buttonholes in all have been worked.

Work 3 rows in rib, slip sts. on to a safety-pin and leave.

LEFT FRONT BAND

Omitting buttonholes work to match Right Front Band, finishing at end of a 2nd row of rib.

NECKBAND

Slip sts. from Right Front Band on to a No. 12 needle, with right side of work facing using same needle knit across 55 sts. from yoke, then work in rib across 7 sts. from Left Front Band (69 sts.).

Work 6 rows in rib, working a buttonhole as before on 4th and 5th rows. Cast off in rib.

TO MAKE UP

Taking care not to stretch Yoke, omitting ribbing block fabric by pinning out round edges. Press fabric using a warm iron and damp cloth. Using a flat seam join side and sleeve seams and raglan shapings and stitch Front Bands into position. Attach buttons. Press all seams.

*Please address knitting enquiries concerning this book to
Dept. SHB, Patons & Baldwins Limited, Great West Road, Brentford, Middlesex
Prices apply only in Great Britain and Northern Ireland*


PUBLISHED BY PATONS & BALDWIN'S LIMITED

Made and Printed in Great Britain by Percy Lund, Humphries & Co., Ltd., Bradford and London. 10089

INCHES
1
2
3
4
5
6
7

SCIO-9^D

TWO
Second Size
CARDIGANS
by P&B



P&B
WOOLS